

GENERAL PUMP LANCES & ACCESSORIES



GENERAL PUMP

Lances

Straight Lances - Chrome Plated

Part Number	Length	GPM	Max Pressure	Inlet	Outlet	Max Temp
DL20CS	20"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	320° F
DL24CS	24"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	320° F
DL36CS	36"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	320° F
DL48CS	48"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	320° F
DL60CS	60"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	320° F
DL78CS	78"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	320° F


DL24CS



Stainless Steel Lances

Part Number	Length	GPM	Max Pressure	Inlet	Outlet
DL20SS	20"	10.0 GPM	4,000 PSI	1/4" NPT-M	1/4" NPT-M
DL24SS	24"	10.0 GPM	4,000 PSI	1/4" NPT-M	1/4" NPT-M
DL28SS	28"	10.0 GPM	4,000 PSI	1/4" NPT-M	1/4" NPT-M
DL36SS	36"	10.0 GPM	4,000 PSI	1/4" NPT-M	1/4" NPT-M
DL40SS	40"	10.0 GPM	4,000 PSI	1/4" NPT-M	1/4" NPT-M
DL48SS	48"	10.0 GPM	4,000 PSI	1/4" NPT-M	1/4" NPT-M
DL60SS	60"	10.0 GPM	4,000 PSI	1/4" NPT-M	1/4" NPT-M
DL72SS	72"	10.0 GPM	4,000 PSI	1/4" NPT-M	1/4" NPT-M
DL78SS	78"	10.0 GPM	4,000 PSI	1/4" NPT-M	1/4" NPT-M
YL8SS	8"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M
YL31SS	31"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M
YL40SS	40"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M
YL72SS	72"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M
D20012	36", Seamless	20.0 GPM	4,000 PSI	3/8" NPT-M	3/8" NPT-M
D20020	48", Seamless	20.0 GPM	4,000 PSI	3/8" NPT-M	3/8" NPT-M
D20021	60", Seamless	20.0 GPM	4,000 PSI	3/8" NPT-M	3/8" NPT-M
D20022	72", Seamless	20.0 GPM	4,000 PSI	3/8" NPT-M	3/8" NPT-M
D20023	96", Seamless	20.0 GPM	4,000 PSI	3/8" NPT-M	3/8" NPT-M
680267	36"	32.0 GPM	4,000 PSI	1/2" NPT-M	1/2" NPT-M
680268	48"	32.0 GPM	4,000 PSI	1/2" NPT-M	1/2" NPT-M
680269	60"	32.0 GPM	4,000 PSI	1/2" NPT-M	1/2" NPT-M
680270	72"	32.0 GPM	4,000 PSI	1/2" NPT-M	1/2" NPT-M
680358	96"	32.0 GPM	4,000 PSI	1/2" NPT-M	1/2" NPT-M

YL31SS




Insulated Lances - Chrome Plated

Part Number	Length	GPM	Max Pressure	Inlet	Outlet	Max Temp
DL18ICS	18"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	220° F
DL24ICS	24"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	220° F
DL27ICS	27"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	220° F
DL36ICS	36"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	220° F
DL42ICS	42"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	220° F
DL47ICS	47"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	220° F
DL59ICS	59"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	220° F
DL79ICS	79"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	220° F

DL24ICS



DL36VCS



Vented Lances - Chrome Plated

Part Number	Length	GPM	Max Pressure	Inlet	Outlet	Max Temp
DL36VCS	36"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	320° F
DL48VCS	48"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	320° F
DL60VCS	60"	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	320° F


Vented Lances - Stainless Steel

Part Number	Length	GPM	Max Pressure	Inlet	Outlet	Max Temp
DL36VSSB	36", Bent, Black	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	320° F
DL36VSS	36", Straight, Black	10.0 GPM	5,000 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YLB4151SS	41", Blue	8.0 GPM	5,100 PSI	1/4" NPT-M	1/4" NPT-M	320° F

YLB4151SS



Lances



YL20PNB

Insulated Lances - Bent

Part Number	Length	GPM	Max Pressure	Inlet	Outlet	Max Temp
YL36B	36", Vented	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YL20PNB	20"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YL24PNB	24"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YL27PNB	27"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YL35PNB	35"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YL47PNB	47"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YL59PNB	59"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YL67PNB	67"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YL79PNB	79"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
ZZ07	28", Zinc	10.5 GPM	3,500 PSI	1/4" BSP-M	1/4" BSP-M	284° F
ZZ09	36", Zinc	10.5 GPM	3,500 PSI	1/4" BSP-M	1/4" BSP-M	284° F
ZZ12	48", Zinc	10.5 GPM	3,500 PSI	1/4" BSP-M	1/4" BSP-M	284° F
ZZ15	59", Zinc	10.5 GPM	3,500 PSI	1/4" BSP-M	1/4" BSP-M	284° F
ZZ20	79", Zinc	10.5 GPM	3,500 PSI	1/4" BSP-M	1/4" BSP-M	284° F



2100289



YDL927SS

Insulated Handle - SS - Double Lances

Part Number	Length	GPM	Max Pressure	Inlet	Outlet	Max Temp
2100289	42", SS, Vent	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YDL41SS	41", SS	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YDL927SS	27", SS, Vent	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YDL941SS	41", SS, Vent	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YDL33SSB	33", SS, Bent	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YDL41SSB	41", SS, Bent	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F



YDL33



DLD42VS



ZZDBL



2100232

Double Lances - Plated Steel

Part Number	Length	GPM	Max Pressure	Inlet	Outlet	Max Temp
2100232	22"	10.5 GPM	4,050 PSI	M22	1/4" QD	320° F
DLD33VS	33", Vented	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
DLD42VS	42", Vented	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YDL33	33", Vented	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YDL41	41"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YDL33B	33"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
YDL41B	41"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	320° F
ZZDBL	36"	10.5 GPM	4,050 PSI	1/4" NPT-M	1/4" NPT-M	284° F
100673	ZZDBL Lance with 1/4" QD Coupler and 965400M Nozzle, 284° F					
100673Q	ZZDBL Lance with 1/4" QD Plug, Q Coupler and 965400M Nozzle, 284° F					
ZZDBL72	72"	10.5 GPM	4,050 PSI	1/4" BSP-M	1/4" BSP-M	284° F
100752	ZZDBL72 Lance with 1/4" QD Connector and 965400M Nozzle, 284° F					

Lances & Accessories

Flexible Lances

Part Number	Length	Max Pressure	Inlet	Outlet	Max Temp
DL18FWRD	18", Red	2,500 PSI	1/4" NPT-M	1/8" NPT-F	200° F
DL18FWBL	18", Blue	2,500 PSI	1/4" NPT-M	1/8" NPT-F	200° F
DL18FWBK	18", Black	2,500 PSI	1/4" NPT-M	1/8" NPT-F	200° F
DL18FWRDM	18", Red	2,500 PSI	1/4" NPT-M	1/4" NPT-M	200° F
DL18FWBLM	18", Blue	2,500 PSI	1/4" NPT-M	1/4" NPT-M	200° F
DL18FWBKM	18", Black	2,500 PSI	1/4" NPT-M	1/4" NPT-M	200° F
DL18FWBLMSS	18", Black SST	2,500 PSI	1/4" NPT-M	1/4" NPT-M	200° F



DL18FWBKM



Y30500080

Lance Extensions

Part Number	Length	GPM	Max Pressure	Inlet	Outlet	Max Temp
Y30500080	31"	53 GPM	8,100 PSI	1/2" BSP-M	1/4" NPT-F	320° F
Y30500092	50"	53 GPM	8,100 PSI	1/2" BSP-M	1/4" NPT-F	320° F



DG3200M

Gun & Lance Combinations

Part Number	Length	GPM	Max Pressure	Inlet	Outlet	Max Temp
DG320014	14"	6.5 GPM	3,200 PSI	1/4" NPT-F	M22-F	195° F
DG320038	14"	6.5 GPM	3,200 PSI	3/8" NPT-F	M22-F	195° F
DG3200M	14"	6.5 GPM	3,200 PSI	M22-M	M22-F	195° F



DLE1614

Lances

Part Number	Length	Max Pressure	Inlet	Outlet	Max Temp
DLE1618	16"	3,200 PSI	M22-M	1/8" NPT-M	195° F
DLE2818	28"	3,200 PSI	M22-M	1/8" NPT-M	195° F
DLE1614	16"	3,200 PSI	M22-M	1/4" NPT-M	195° F
DLE2214	22"	3,200 PSI	M22-M	1/4" NPT-M	195° F
DLE2814	28"	3,200 PSI	M22-M	1/4" NPT-M	195° F



D10036



D20011



D2200

Lance Accessories

Part Number	Description
D20011	12" Gutter Cleaner, 1/4" QC Connectors, for use with #5.0 or larger nozzle
D22000	Adjustable lance handle for 1/4" lances
D10036	Pivot coupler, mounts to any 1/4" QC lance and can lock positions for difficult cleaning angles 4,500 PSI



GP Companies, Inc
 1174 Northland Drive, Mendota Heights, MN 55120
 Phone: 651.686.2199 Fax: 800.535.1745
www.generalpump.com email: sales@gpcompanies.com
www.facebook.com/gpcompanies
www.youtube.com/user/generalpump



General Pump is part of the Interpump Group, the world leader in plunger pumps.